

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 7884 07/22/2003 W. Donald Parr 074210.0103 10/625,294 EXAMINER 5073 7590 08/16/2004 BAKER BOTTS L.L.P. HUNTER, ALVIN A 2001 ROSS AVENUE ART UNIT PAPER NUMBER SUITE 600 DALLAS, TX 75201-2980 3711

DATE MAILED: 08/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

			A
	Application No.	Applicant(s)	<b>B</b>
	10/625,294	PARR, W. DONALD	
Office Action Summary	Examiner	Art Unit	
	Alvin A. Hunter	3711	
The MAILING DATE of this communication a	ppears on the cover sheet w	ith the correspondence addr	ess
riod for Reply	UVIC CET TO EVOIDE AM	ONTH/O EDOM	
A SHORTENED STATUTORY PERIOD FOR REP THE MAILING DATE OF THIS COMMUNICATION  - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a re If NO period for reply is specified above, the maximum statutory perio- Failure to reply within the set or extended period for reply will, by statu- Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	I.  1.136(a). In no event, however, may a reply within the statutory minimum of thired will apply and will expire SIX (6) MONute, cause the application to become AE	eply be timely filed ty (30) days will be considered timely. ITHS from the mailing date of this comi BANDONED (35 U.S.C. § 133).	nunication.
ratus			
1) Responsive to communication(s) filed on 22	<i>July</i> 2003.		
2a) This action is <b>FINAL</b> . 2b) ⊠ Th	nis action is non-final.		
3) Since this application is in condition for allow	ance except for formal matt	ers, prosecution as to the n	nerits is
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D	). 11, 453 O.G. 213.	
sposition of Claims			
4) Claim(s) 1-32 is/are pending in the application	on.		
4a) Of the above claim(s) is/are withdr			
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-32</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction and	or election requirement.		
plication Papers			
9)⊠ The specification is objected to by the Examir	ner.		
10)☐ The drawing(s) filed on is/are: a)☐ ac	ccepted or b) objected to	by the Examiner.	
Applicant may not request that any objection to th	e drawing(s) be held in abeyar	nce. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the corre	,	• •	
11) $\square$ The oath or declaration is objected to by the $\mathfrak l$	Examiner. Note the attached	d Office Action or form PTO	-152.
ority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreig	gn priority under 35 U.S.C. §	119(a)-(d) or (f).	
a) ☐ All b) ☐ Some * c) ☐ None of:			
1. Certified copies of the priority document	nts have been received.		
2. Certified copies of the priority docume	nts have been received in A	pplication No	
3. Copies of the certified copies of the pri	•	received in this National St	age
application from the International Bure			
* See the attached detailed Office action for a lis	st of the certified copies not	received.	
echmont(s)			
achment(s)  X Notice of References Cited (PTO-892)	4) Interview 9	Summary (PTO-413)	
Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(	s)/Mail Date	F0\
Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0	ov 5) I I Notice of I	nformal Patent Application (PTO-1	<b>►</b> ′2\

Art Unit: 3711

#### **DETAILED ACTION**

#### Specification

1. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required:

Regarding claim 30, the specification does not disclose having a putter head of a greater mass than a second putter head, only that a first putter has a high-density and the second club head has a low-density. Because the materials are different this does not set forth that the masses would be different because there is nothing within the specification that states that each club head in the set is made of a unitary material.

### Claim Objections

2. Claims 2 and 3 are objected to because of the following informalities:

Regarding claims 2 and 3, in line 1 of both claims, "and" should read --wherein the putter head--. Appropriate correction is required.

## Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claim 31 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 31, applicant recites the shafts relative to a perpendicular angle. What is the perpendicular angle relative to? Clarity needed.

Art Unit: 3711

### Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 1-4, 7, 18, and 26 are rejected under 35 U.S.C. 102(b) as being anticipated by Sundin (USPN 5584769).

Regarding claim 1, Sundin discloses a putter 10 comprising a shaft 14 having a proximate end and a distal end, a grip 26 affixed to the proximate end of the shaft, a putter head 12 affixed to the distal end of the shaft wherein the putter head comprises a unitary block of metal and the putter head comprises a front face 16 and a toe face each operative to be used as a striking surface for propelling a golf ball (See Figure 1 and Column 3, lines 50 through 58).

Regarding claim 2, Sundin discloses the putter further having a heel face capable of being used as a striking surface for propelling a golf ball (See Figure 2).

Regarding claim 3, Sundin discloses the putter further comprising a back face 18 operative to be used as a striking surface for propelling a golf ball (See Figure 1 and 3 and Summary of the invention).

Regarding claim 4, Sundin shows the face angle of the toe face, the face angle of the front face and the shaft angle configured such that a player addressing a golf ball with the toe face nearest the golf ball or with the front face nearest the golf ball will be

Art Unit: 3711

addressing the golf ball with a face at substantially the same angle with respect to vertical (See Figures 2 and 3).

Regarding claim 7, Sundin shows the interface between the front face and the sole face of the putter head is radiused (See Figure 1 and 3).

Regarding claim 18, Sundin discloses a putter 10 comprising a shaft 14 having a proximate end and a distal end, a grip 26 affixed to the proximate end of the shaft, a putter head 12 affixed to the distal end of the shaft wherein the putter head comprises a unitary block of metal and the putter head comprises a front face 16, a toe face, and a back face 18 each operative to be used as a striking surface for propelling a golf ball (See Figure 1 and Column 3, lines 50 through 58). Sundin also shows the face angle of the toe face, the face angle of the front face and the shaft angle configured such that a player addressing a golf ball with the toe face nearest the golf ball or with the front face nearest the golf ball will be addressing the golf ball with a face at substantially the same angle with respect to vertical (See Figures 2 and 3).

Regarding claim 26, Sundin discloses a putter comprising a shaft 14 having a proximate end and a distal end, a grip 26 affixed to the proximate end of the shaft, a putter head 12 affixed to the distal end of the shaft wherein the putter head comprises a front face 16, top face, and sole face wherein each of the faces being substantially planar in character and the sole face being substantially parallel to and substantially wider than the top face (See Figure 1 and 3).

Claim Rejections - 35 USC § 103

Art Unit: 3711

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 6, 8, 14-17, 19, 20, 22-24, 30 and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sundin (USPN 5584769).

Regarding claims 6 and 19, Applicant does not discloses why it is critical to have a slot disposed in a longitudinal direction across the entirety of the back face of the putter head in order to attain the invention. One having ordinary skill in the art would have sought such to be an obvious mater of design choice. The putter head of Sundin would perform equally well because it allows the user to strike the ball using more than one striking face.

Regarding claims 8 and 20, Applicant does not disclose why it is critical for the radius to be from 1/8 to 3/8 of and inch in order to attain the invention. One having ordinary skill in the art would have found such to be an obvious matter of design choice. The radius of Sundin would perform equally well because it prevents stubbing when cocking the putter or stroking the golf ball (See Column 2, lines 34 through 48).

Regarding claims 14, 15, 21, and 22, Applicant does not disclose why it is critical for the length and height to be of a particular value in order to attain the invention. One having ordinary skill in the art would have found such to be an obvious matter of design choice. The dimension of the club head of Sundin would perform equally well because it prevents stubbing during play (See Column 2, lines 34 through 48).

Application/Control Number: 10/625,294 Page 6

Art Unit: 3711

Regarding claims 16 and 23, Sundin shows the angle of the front face with respect to vertical being about 0 degrees (See Figure 1). One having ordinary skill in the art would have found it obvious to have the front face of about 0 degrees from vertical because it is common used within the art of golf club heads.

Regarding claims 17 and 24, Sundin shows the angle of the back face 18 with respect to vertical being about 40 degrees since angle  $\beta$  is 130° from a third common edge (See Figure 1). One having ordinary skill in the art would have found it obvious to have the front face of about 40 degrees from vertical in order to assist in chipping shots.

Regarding claim 30, Sundin discloses a putter 10 comprising a shaft 14 having a proximate end and a distal end, a grip 26 affixed to the proximate end of the shaft, a putter head 12 affixed to the distal end of the shaft wherein the putter head comprises a unitary block of metal and the putter head comprises a front face 18. Sundin also notes that the club may be made of different materials such as steel, aluminum, etc. which inherently have different densities and masses. Sundin does not disclose two clubs but one having ordinary skill in the art would have found it obvious to have two clubs have the same approximate dimensions in order accommodate multiple users. Furthermore, one having ordinary skill in the art would have found it obvious to have a mass of one club greater than another in order to adjust the moment of inertia of the club head.

Regarding claim 32, Sundin disclose that the front face may have an angle any where between 130 to 170 degrees wherein the angle variation is dependent upon the need of the user (See Column 2, lines 34 through 43). One having ordinary skill in the

Art Unit: 3711

art would have found it obvious to have the front face angle of the club heads of different angles in order to address the needs of the user.

6. Claims 5 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sundin (USPN 5584769) in view of Meek (USPN 5297603).

Regarding claims 5 and 25, Sundin does not discloses the putter having a putter head cover. Meek discloses a club head cover (See abstract). Applicant does not disclose why it is critical for the club head to have planar faces or to have only a detent in order to attain the invention. One having ordinary skill in the art would have found such to be an obvious matter of design choice. The club head cover of Meek would perform equally the same because it protects the club head from being damaged.

7. Claims 9-11, 18, and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sundin (USPN 5584769) in view of Lin (USPN 5700206).

Regarding claims 9-11, 18 and 27, Sundin discloses a putter 10 comprising a shaft 14 having a proximate end and a distal end, a grip 26 affixed to the proximate end of the shaft, a putter head 12 affixed to the distal end of the shaft wherein the putter head comprises a unitary block of metal and the putter head comprises a back face 18, a toe face, heel face, and sole face. Sundin does not disclose the putter having a bevel on the sole face or having a slot across the back face. Lin discloses a putter having a sole face 15 wherein the sole face comprises a first bevel 16 disposed at the interface of the sole face and the toe face 13 of the putter head and a second bevel 17 disposed at the interface of the sole face and the heel face 11 of the putter head (See Paragraph bridging columns 2 and 3 and Figure 1). One having ordinary skill in the art would have

**Art Unit: 3711** 

found it obvious to incorporate a bevel into Sundin, as taught by Lin in order to have the striking face perpendicular to the ground when addressing the golf ball. Applicant does not discloses why it is critical to have a slot disposed in a longitudinal direction across the entirety of the back face of the putter head in order to attain the invention. One having ordinary skill in the art would have sought such to be an obvious mater of design choice. The putter head of Sundin would perform equally well because it allows the user to strike the ball using more than one striking face.

8. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sundin (USPN 5584769) in view Bristow et al. (USPN 6001495).

Regarding claim 12, Sundin does not disclose that the putter head is made of Ti-64 titanium. Bristow et al. discloses that Ti-64 is common used for fabricating club heads (See Background of the invention). One having ordinary skill in the art would have found it obvious to fabricated the putter head of Ti-64, as taught by Bristow et al., because it is common within the art of golf club heads.

9. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sundin (USPN 5584769) in view of McCormick (USPN 4314863).

Regarding claim 13, Sundin does not disclose the putter head made of 17-4 stainless steel. McCormick discloses that it is common within the art to produce a golf club head (See Background of the Invention). One having ordinary skill in the art would have found it obvious to fabricate a putter head of 17-4 stainless steel, as taught by McCormick, because the material readily available and used within the art of golf club heads.

Art Unit: 3711

10. Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sundin (USPN 5584769) in view Lin (USPN 5700206) further in view of Bristow et al. (USPN 6001495).

Regarding claim 28, Sundin in view of Lin does not disclose that the putter head is made of Ti-64 titanium. Bristow et al. discloses that Ti-64 is common used for fabricating club heads (See Background of the invention). One having ordinary skill in the art would have found it obvious to fabricated the putter head of Ti-64, as taught by Bristow et al., because it is common within the art of golf club heads.

11. Claim 29 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sundin (USPN 5584769) in view of Lin (USPN 5700206) further in view of McCormick (USPN 4314863).

Regarding claim 29, Sundin in view of Lin does not disclose the putter head made of 17-4 stainless steel. McCormick discloses that it is common within the art to produce a golf club head (See Background of the Invention). One having ordinary skill in the art would have found it obvious to fabricate a putter head of 17-4 stainless steel, as taught by McCormick, because the material readily available and used within the art of golf club heads.

12. Claim 31 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sundin (USPN 5584769) in view of Keating (USPN 1765982).

Regarding claim 31, Sundin does not disclose the shaft being less than 90 degrees. Keating discloses a golf club having an adjustable lie angle (See Page 1, lines 1 through 31). One having ordinary skill in the art would have found it obvious to have

Page 10

Application/Control Number: 10/625,294

Art Unit: 3711

the shaft angles of any angle, as taught by Keating, in order to have the sole of the club

head parallel to the ground when addressing a stroke.

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Alvin A. Hunter whose telephone number is 703-306-

5693. The examiner can normally be reached on Monday through Friday from 7:30AM

to 4:00PM Eastern Time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Gregory Vidovich, can be reached on 703-308-1513. The fax phone

number for the organization where this application or proceeding is assigned is 703-

872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have guestions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

MAA

Alvin A. Hunter, Jr.

GREGORY VÍÐÓVICH RVISORY PATENT FXAN

SUPERVISORY PATENT EXAMINE
TECHNOLOGY CENTER 3700